





An international survey of both generalists and specialists showed that more than 40% did not view beta cell dysfunction as a key determinant of T2DM progression (Busse et al., 2007, <i>Diabetes Res Clin Pract</i> 76:445-8)	Educational Gap	Physicians and endocrinologists recognize and understand the importance of interventions to maintain beta cell function in order to prevent progression to diabetes
Only 63% of participants in ESAP 2008 showed proficiency in the use of the ADA's new screening and diagnostic methods for gestational diabetes	Educational Gap	Endocrinologists should employ the ADA's current screening and diagnostic methods to identify and manage gestational diabetes to avoid complications to mother and fetus




## Inferred and Statistics Gaps

- Medical Literature review
- Online Databases
  - AHRQ
  - Professional society pages
  - Statistics and Trends in healthcare (increase/decreases in diseases conditions)
- Other related CME programs


@RuwaidaVakil

















## **Professional Practice Gaps**

- Level 3: Knowledge
  - How familiar are you with X?
- Level 4: Competence (application)How confident are you in performing procedure Y?
- Level 5: Performance
  - How often do you do Z when a patient...



Source: Desilets LD et al. J Contin Educ Nurs. 2013;44(10):433-434.
















	Questio	ns?	
Connect with F	Ruwaida Vakil, M	Sc	
Website: www.pro	medwrite.com		
LinkedIn: http://ww	w.linkedin.com/in/ruwa	aidavakil	
Twitter: @Ruwaida	Vakil	0	
Email: <u>ruwaida@v</u>	<u>akil.ca</u>	????	?
@RuwaidaVakil		N.	